

238. Cheung A.P., Lu J.K., Chang R.L. Pulsatile gonadotrophin secretion in women with polycystic ovary syndrome after gonadotrophin-releasing hormone agonist treatment.// Hum. Reprod. – 1997.-12(6).-P.1156-1164.
239. Clement. K., Vaisse C., Lahlou N., Cabrol S., Pelloux V., Cassuto D., Gormelen M., Dina C., Chambaz J., Lacorte. J.M., Basdevant A. A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. // Nature. - 1998- Vol.392 - P.398-401.
240. Collet C et al. Luteinizing hormone measurement in polycystic ovary syndrome: a practical approach// Eur. J. Endocrinol.-1999.-№144(3).-p.225-300.
241. Cordido F., Diequez C., Casanueva F.F. Effect of central cholinergic neurotransmission enhancement by pyridostigmine on the growth hormone secretion elicited by clonidine, arginine, or hypoglycemia in normal and obese subjects.//J.Clin. Endocrinol.Metabol.-1990.-Vol.70, N 5.-P.1361-1370.
242. Cortet-Rudelli C. et al. How actual is the dietary treatment in overweighting patients with polycystic ovary syndrome?// J.Endocrinol.Invest.-1998.- №21(9).-p.636-640.
243. Couzinet B., Young J., Braillyt S. et al. Functional hypotalamic amenorrhoea: a partial and reversible gonadotrophin deficiency of nutritional origin. // Clinical Endocrinology. – 1999. –Vol.50 - P.229-235.
244. Crosignani P.G. et. al. Optimal use of infertility diagnostic tests and treatment. The ESHRE Capri Workshop Group.//Hum.Reprod. -2000.-№ 15(3).- p.723-732.
245. De Leo V. Metformin and ovarian steroidogenesis in PCOS women (letter).// Clin. Endocrinol(Oxf).-2000.-№ 52(2).-p.243.
246. Diamanti-Kandarakis E. et.al. Metformin and polycystic ovary syndrome (letter).// Clin. Endocrin.-2000.-№ 52(3).-p.243-246.
247. Egava M., Inoue S., Sato S. et al.//Neuroendocrinology.- 1991.-Vol. 53 (6).- P. 543-548. Emperauger B., Kuttenn F. Polycystic ovarian dystrophies. Diagnostic criteria and treatment. // Presse Med.-1995.- 24 (18).-P.863-868.
248. Essential Endocrinology. Third Ed./Ed.by John F. Laycock, Peter H.Wise. - Oxford University Press.-1996.-409 p.

249. Fauser B.C., Hsueh A.J. Genetic basis of human reproductive endocrine disorders. //Hum Reprod. – 1995 Apr. – 10(4)-P.826-846.
250. Ferrari R., Viscoli O., Guarnieri C. et al. Vitamin E and the heart: possible role as antioxidant.// Acta vitaminol. and enzymol.-1983. -Vol.5,N1.-P.11-22.
251. Fiad T.M., Cunningham S.K., McKenna T.J. Role of progesterone deficiency in the development of luteinizing hormone and androgen abnormalities in polycystic ovary syndrome. //Eur J Endocrinol. – 1996 Sep,135(3). – P.335-339.
252. Filicori M.,Flamingi C., Merrigola M.C. et al. Endocrine response determines the clinical outcome of pulsatile gonadotropine-releasing hormone ovulation induction in different ovulatory disorders.//J. Clin. Endocrinol.Metab.-1991.-Vol.72,N5.-P.965-972.
253. Fitko R., Kucharski J., Szlezynghier B., Jana B. The concentration of GnRH in hypothalamus, LH and FSH in pituitary, LH, PRL and sex steroids in peripheral and ovarian venous plasma of hypo - hyperthyroid, cysts-bearing gilts. //Anim. Reprod. Sci.- 1996.- Dec 2,45(1-2).-P.123-138.
254. Franks S., Gilling-Smith C.Advances in induction of ovulation.//Curr. Opin.Obstet.Gynecol.-1994.-6(2).- p. 136-140.
255. Fulghesu A.V., Ciampelli M., Guido M., Murgia F., Caruso A., Mansuro S., Lanzone A. Role of opioid tone in the pathophysiology of hyperinsulinemia and insulin resistance in polycyclis ovarian disiaese. // Metabolism. – 1997 - Vol. 47. – N.2-P.158-62.
256. Fulghesu A.M., Villa P., Pavone V. et al. The impact of gonadotropins in polycystic ovary syndrome// J.Clin.Endocrinol. and Metab.- 1997- 82, № 2.- C.644-648.
257. Garty B.Z. et al. Cirrosis in a child with hypothalamic syndrome and central precocious puberty treated with cyproterone acetate.// Eur.J.Pediatr.-1999.-№ 158(5).-367-370.
258. Gindoff H.R., Iewelewicz P. Polycystic ovarian disease.//Obstet. gynec.Clin.N.Amer.-1987.-Vol.14.-N4.-P.931-953.Insler V. PCO in non-obese and obese patients. // Hum Reprod. – 1993 - Vol.8 - No3. – P. 379-384.

259. Glinder D., Delange F. Maternal neonatal thyroid function at birth and an area of marginally low iodine intake. // J. Clin. Endocrinol. Metabol.-1992.-V.75.-p.800-805.
260. Goncharov N.P. et al. State of the sympathetico-adrenal system in patients with hypothalamic pubertal syndrome. // Neurosc. Behav. Physiol.-1998.-№ 28(3).-p.336-339.
261. Gordon C.M. Menstrual disorders in adolescents. Excess androgens and the polycystic ovary syndrome. // Pediatr.Clin.North.Am.-1999.- № 46(3).-p. 519-544.
262. Insler V. PCO in non-obese and obese patients. // Hum Reprod. – 1993 - Vol.8 - No3. – P. 379-384.
263. Kopelman P.G. Hormones and obesity. // Baillieres Clin. Endocrinol.Metab.-1994.-8(3).- P.549-575.
264. Kreze A.Jr., Hrciar J., Dobacova M. Hyperandrogenic states in women (polycystic ovary syndrome) and insulin resistens. // Vnitr.Lec.-1995.-41(2).- P.126-128.
265. Lanzone A., Petraglia F., Fulfhesu A.M., Ciampelli M., Caruso A., Mancuso S. Corticotropin- releasing hormone induces an exaggerated response of adrenocorticotropic hormone and cortisol in polycystic ovary syndrome. // Fertil. and Steril.-1996.-65(1).-P.210-211.
266. Layman L.C., Lee E.-J., Peak D.P. et al. Delayed Puberty and Hypogonadism Caused by Mutations in the Follicle-Stimulating Hormone β -Subunit Gene. // Obstetrical and Gynecological Survey. – 1998 - Vol.53 - No2 – P. 85-87.
267. Lazar L., Kauli R., Brughis C. et al. Early polycystic ovary-like syndrome in girls with central precocious puberty and exaggerated adrenal response. // Obstetrical and Gynecological Survey.-1996.-Vol.51.-№5.-p.25-28.
268. Lee P.J., Patel A., Hindmarsh P.C., Mowat A.P. and Leonard J.V.. The prevalence of polycystic ovaries in the hepatic glycogen storage diseases its association with hyperinsulinism. // Clinical Endocrinology – 1995- Vol.42. - No6. - P.601-606.

269. Marut E. The polycystic ovary syndrome. // J. reprod. Med. - 1989. - Vol. 34, suppl. 1. - P. 104-107.
270. Meirrow D., Yossepowitch O., Rosler A., Brzezinski A., Schenker J. G., Laufer N. and Raz I. Insulin Resistant and Nonresistant Polycystic Ovary Syndrome Represent two Clinical and Endocrinological Subgroups. // Obstetrical and Gynecological Survey. - 1996 - Vol. 51 - No 4 - P. 233-235.
271. Micinsky P. et al. Polycystic ovary syndrome in adolescent gynecology. // Gynecol. Pol. - 1999. - № 70(5). - p. 370-373.
272. Minanni S.L., Marcondes J.A., Wajchenberg B.L. et al. Analysis of gonadotropin pulsatility in hirsute women with normal menstrual cycles and in women with POS. // Fertil. & Steril. - 1999. - 71(4). - p. 675-83.
273. Murphy E.L., Bryzman S.M., Glynn S.A. et al. Risk Factors for Hepatitis C Virus Infection in United States Blood Donors. // Hepatology. - 2000. - Vol. 31, N. 3 - p. 756-762.
274. Odink R.J., Schoemaker J., Schoute E., Herdes E., Delemarre Van-De-Waal H.A. Predictive value of serum follicle-stimulating hormone levels in the differentiation between hypogonadotropic hypogonadism and constitutional delay of puberty. // Norm. Res - 1998 - Vol. 49. - No 6. - P. 279-87.
275. Piaditis G.P., Kounadi T.G., Rangou D.B., Trovas G.P., Kaklas N.A., Tzonou A.J., Chlouverakis C. S. Dysfunction of the growth hormone/insulin-like growth factor-I axis in women with polycystic ovarian syndrome. // Clin Endocrinol (Oxf). - 1995. Jun, 42(6). - P. 635-640.
276. Porcu E., Venturoli S., Longhi M., Fabbri R., Paradisi R., Flamigni C. Chronobiologic evolution of Luteinizing hormone secretion in adolescence, developmental patterns and speculations on the onset of POS. // Fertil-Steril. - 1997. - 67(5) - P. 842-8.
277. Rossau D., Mortensen P.B. Risk factors for suicide in patients with schizophrenia: nested case-control study. // The British Journal of Psychiatry. - 1997. - vol. 171, October. - p. 355.
278. Schlesselman J.J. Case-control studies: design, conduct, analysis, 1st edn. - Oxford: Oxford University Press. - 1982. - (<http://www.medlinks.ru/bibl/pulm/21.htm>)

279. Snowden C.B., McNamara P.M., Garrison R.J. eal. // Amer. J. Epidem. - 1982.- Vol. 115.-P. 217-222.(<http://www.medlinks.ru/bibl/pulm/21.htm>)
280. Segal M.M., Bell J., Abrams G.M. Hypothalamic or central obesity is associated with an early rise in plasma insulin concentration.//Arch.Neurol.- 1991.-vol.48,N4.-P 429-431.
281. Stener-Victorin E. Effects of electro-acupuncture on anovulation in women with polycystic ovary syndrome.//Acta Obstet.Gynecol. Scand.-2000.-№ 79(3).-180-188.
282. Stringer M.D., Gsorag P.G., Freeman A., Kakkar V.V. Lipid peroxides and the atherosclerosis.//BMJ.-1989.-Vol. 298,N 6.-P. 281-284.
283. Suzuki N., Shininaga M., Hirata K., Inoue S., Kuwabara T.Hypothalamic obesity due to hudocephalus caused by aqueductal stenosis. //J. Neurol.-Neurosurg.-Psychiatri.-1990.-Vol. 53(12).-P. 1102-1103.
284. Tanaka K., Toriumi M., Shinohara Y/. Okazaki R. Disorders of gonadal function in hypotalamic pituitari diseases.//Nippon-Rinsho.-1997.-55(11)-p. 2969-73.
285. Taylor S.L., Lamden M.P., Tappel A.L. Sensitive fluoremetric method for tissue tocopherol analysis///Lipids.-1976.-V.11,7.-p.530-538.
286. Teylor A.E., Mc Court B., Martin K.A., Anderson E.A., Adams J.M., Schoenfeld D., Hall J.E. Determinants of abnormal gonadotropin secretion in clinically defined women with polycystic ovary syndrome. // J-Clin-Endocrinol-Metab. – 1997 - 82(7). – P. 2248-56.
287. Tyrrell J.Blake et al. Hypothalamus and Pituitary.In: Basic & Clinical Endocrinology;4-th edition/Ed. by Francis S.Greenspan, John D.Baxter.-Norwalk,Connecticut: Appleton & lange.-1994.-p.92-93.
288. Urdl W., Desoye G. Pathogenesis and diagnosis of polycystic ovary syndrome.// Gynakol. Geburtshilfliche Rundsch.-1995.-35 (1).-P.12-15.
289. Venturoli S., Porcu E., Paradisi R. et al. Hyperandrogenism in postmenarchal oligomenorrhea a stage of polycystic ovari.//Acts endocrinol.(Copenh.)-1981.-Vol. 97.-p. 72.
290. Venturoli S., Porcu E., Fabbri R., Magrini O., Paradisi R., Palloti G., Gammi L. and Flamigni C. Postmenarchal evolution of endocrine pattern and

- ovarian aspects in adolescents with menstrual irregularities. // Ferril. Sterill. - 1987. - Vol.48. - P.78-85.
291. Wahreinberg H. et al. Divergent effects of weight reduction and oral anticonception treatment on adrenergic lipolysis regulation in obese women with the polycystic ovary syndrome.// J.Clin. Endocrinol.Metab.-1999.-№ 84(6).-p.2182-2187.
292. Wang A.et.al. Role of hyperinsulinemia in pathogenesis of PCOS and treatment by reduction of insulin secretion.// Chung Hua Fu Chan Ko Tsa Chin.-1998.-№ 33(12).-p. 731-734.
293. Wather P.I., Henderson M.C., Witz C.H. Abnormal uterine bleeding. //Med. Clin. North. Am. – 1995.Mar., 79(2). P. –329-344.
294. Wilder R.L Neuroendocrine-immune system interactions and autoimmunity./Ann. Rev. Immunol.-1995.-N. 3.-p. 307-308.
295. Wolf A.S., Sterzik K. Obesity-significa in adolescena and for reproduction.//Zentralbl.Gynakol.-1998.-Vol.120.-№5.-p.210-222.
296. Wu X. Functional states of pituitary –ovary, adrenal and thyroid axes in women with polycystic ovarian syndrome.// Cung Hua Fu Chan Ko Tsa Chin.- 1998.-№ 33(3).-153-156.
297. Yagi Y., Nishigaki I., Ohama H. Measurement of serum TBA-value.//Vitamins.-1968.-V.37,№ 1.-p.105-112.
298. Yagi Y., Matsuda M., Yagi K. Fomation of lipoperoxide in isdated sciatic nerve by chionoform-terric chelate/// Experintia.-1976.-V.32,№7.-p.905-906.
299. Yen S.S.C. Female hypogonadotropic hypogonadism: hypothalamic amenorrhea syndrome. //Endocrinology and Metabolism Clinics of North America. – 1993. - Vol.22. - P.29-58.
300. Yukawa O., Nakazava T. Radiation-induced lipid peroxidation and membrane biund enzymes in liver-microsomes.// Intern.J.Radiat.Biol.- 1980-Vol.37.-P.621-631.